Οδηγίες για την ενημέρωση των προσωπικών ιστοσελίδων χρηστών του ΓΠΑ

Η πρόσβαση στα αρχεία των προσωπικών ιστοσελίδων των χρηστών που φιλοξενούνται στο Τμήμα Δικτύων – Διαδικτύου άλλαξε λόγω απόσυρσης του παλαιού εξυπηρετητή. Οι προσωπικοί ιστότοποι μεταφέρθηκαν σε νέο αναβαθμισμένο εξυπηρετητή που προσφέρει μεγαλύτερες ταχύτητες πρόσβασης και ασφαλέστερη διασύνδεση.

Για τον λόγο αυτό οι χρήστες προκειμένου να έχουν πρόσβαση στα αρχεία του ιστοτόπου τους και να μπορούν να ενημερώνουν το περιεχόμενο του, καλούνται να προβούν στις ακόλουθες αλλαγές στον τρόπο σύνδεσης με τον εξυπηρετητή.

Για την μεταφορά των αρχείων προτείνεται η χρήση του προγράμματος Filezilla το οποίο είναι ελεύθερο λογισμικό ανοικτού κώδικα και είναι διαθέσιμο για κατέβασμα στη διεύθυνση:

https://filezilla-project.org/

1. Πηγαίνουμε στην ιστοσελίδα του FileZilla με τον πλοηγό της επιλογής μας.



 Επιλέγουμε Download FileZilla Client. Το site μας προτείνει πάντα την κατάλληλη έκδοση για το λειτουργικό σύστημα που τρέχει ο υπολογιστής μας (Windows, Mac OS X και Linux). Οι παρούσες οδηγίες αφορούν σύστημα με Windows αλλά είναι σχεδόν ίδιες και για τα υπόλοιπα λειτουργικά συστήματα. 3. Εγκαθιστούμε το πρόγραμμα ακολουθώντας τα βήματα της εγκατάστασης χωρίς να απαιτείται κάποια αλλαγή στις προτεινόμενες επιλογές.

FileZilla Client 3.18.0 Setup		—		×
License Agreement				-
Please review the license terms before installing	FileZilla Client 3.18	.0.		Z
Press Page Down to see the rest of the agreeme	ent.			
GNU GENERAL PUBLIC LI Version 2, June 1991	CENSE			^
Copyright (C) 1989, 1991 Free Software Found 59 Temple Place, Suite 330, Boston, MA 023 Everyone is permitted to copy and distribute very of this license document, but changing it is not	dation, Inc. 111-1307 USA erbatim copies allowed.			
Preamble				
The licenses for most software are designed to	o take away your			×
If you accept the terms of the agreement, click agreement to install FileZilla Client 3.18.0.	I Agree to continue	. You must a	ccept the	2
Nullsoft Install System v3.0b3				
		I <u>A</u> gree	Car	ncel
E FileZilla Client 3.18.0 Setup		_		×
FileZilla Client 3.18.0 Setup		_		×
FileZilla Client 3.18.0 Setup Choose Installation Options Who should this application be installed for?		_		×
FileZilla Client 3.18.0 Setup Choose Installation Options Who should this application be installed for? Please select whether you wish to make this sof	tware available to a	 all users or jus	st yourse	×
 FileZilla Client 3.18.0 Setup Choose Installation Options Who should this application be installed for? Please select whether you wish to make this sof Anyone who uses this computer (all users) 	tware available to a	 all users or jus	st yourse	×
 FileZilla Client 3.18.0 Setup Choose Installation Options Who should this application be installed for? Please select whether you wish to make this sof <u>A</u>nyone who uses this computer (all users) <u>O</u>nly for me (Chris) 	tware available to a	 all users or jus	st yourse	×
 FileZilla Client 3.18.0 Setup Choose Installation Options Who should this application be installed for? Please select whether you wish to make this sof Anyone who uses this computer (all users) Only for me (Chris) 	tware available to a		st yourse	×
 FileZilla Client 3.18.0 Setup Choose Installation Options Who should this application be installed for? Please select whether you wish to make this sof Anyone who uses this computer (all users) Only for me (Chris) 	tware available to a		st yourse	×
FileZilla Client 3.18.0 Setup Choose Installation Options Who should this application be installed for? Please select whether you wish to make this sof	tware available to a		st yourse	× eff.

E FileZilla Client 3.18.0 Setup		- 🗆 X				
Choose Components Choose which features of FileZilla Client 3. 18.0 you want to install.						
Check the components you wa install. Click Next to continue.	nt to install and uncheck the com	nponents you don't want to				
Select components to install:	 FileZilla Client Icon sets Language files Shell Extension Desktop Icon 	Description Position your mouse over a component to see its description.				
Space required: 22.2MB						
Nullsoft Install System v3.0b3 —	< <u>B</u> ack	Next > Cancel				

Κλικάρουμε το κουτί "Desktop Icon" εάν θέλουμε να δημιουργηθεί συντόμευση στην επιφάνεια εργασίας για ευκολότερη πρόσβαση (αφορά μόνο τα Windows).

E FileZilla Client 3.18.0 Setup	_		×
Choose Install Location Choose the folder in which to install FileZilla Client 3.18.0.			E
Setup will install FileZilla Client 3.18.0 in the following folder. To install in click Browse and select another folder. Click Next to continue.	a differe	ent folder	, ,
Destination Folder C:\Program Files\FileZilla FTP Client	B <u>r</u> ov	vse	
Space required: 22.2MB Space available: 148.6GB			
Nullsoft Install System v3.0b3	:>	Can	cel

FileZilla Client 3.18.0 Setup			_		×
Choose Start Menu Folder					
Choose a Start Menu folder for	the FileZilla Client 3.	18.0 shortcu	its.		Z
Select the Start Menu folder in	which you would like	to create th	e program's sho	ortcuts. Yo	bu
can also enter a name to creat	e a new folder.				
FileZilla FTP Client					
7+ Taskbar Tweaker					~
7-Zip Accessibility					
Accessories					
Administrative Tools AdRem NetCrunch 5.2					
Advanced Installer 12.8 Attribute Changer					
AXIS Streaming Assistant					
Chrome Apps					×
Do not create shortcuts					
Nullsoft Install System v3.0b3					
		< <u>B</u> ack	Install	Can	icel
E FileZilla Client 3.18.0 Setup			_		\times
	Completing	FileZill	a Client 3	.18.0	
	Setup				
	FileZilla Client 3.18.	0 has been i	installed on you	ir compute	er.
	Click Finish to close	Setup.			
	Stort File 7illa pe				
		VV ;			
		< <u>B</u> ack	Einish	Can	icel

4. Με το πέρας της εγκατάστασης εκτελείται το κυρίως πρόγραμμα και αναμένει τις παραμέτρους της σύνδεσης με τον διακομιστή. Στο πεδίο Host (Διακομιστής) θέτουμε: sftp://webs.aua.gr ενώ στα πεδία Username (Όνομα Χρήστη) και Password (Κωδικός) θέτουμε τα στοιχεία που σας έχουν παρασχεθεί από το ΤΔΔ. Το πεδίο Port (Θύρα) το αφήνουμε κενό.

<u>F</u> ile <u>E</u> dit <u>V</u> iew <u>T</u> r. ▼	ansfer <u>S</u> erver	Bookmarks	Help								
Host: sftp://webs.aua	a.gr <u>U</u> sername:	chris		Pass <u>w</u> ord:	•••••		Port:		Quickco	onnect	-
Status: Connect Response: fzSftp st Command: open "cl Command: Trust ne Error: Connect Error: Critical e	ting to webs.aua.g arted, protocol_ve hris@webs.aua.gr w Hostkey: No tion abandoned. error: Could not co	jr :rsion=5 " 22 ponnect to ser	ver								~
Local site: C:\Users\(Chris\			V R	emote site:						~
	Chris Default Default User Default.migrated DefaultAppPool Public			~							
Filename	Filesize Fi	iletype	Last	mod ^ Fi	lename	Fil	esize Fi	iletype	Last m	odified	Perm
 .android .asdm .cache .oracle_jre_usage .presage .swt apktool AppData Application Data Contacts Cookies Desktop 	Fi Fi Fi Fi Fi Fi Fi S	ile folder ile folder ile folder ile folder ile folder ile folder ile folder ile folder ile folder ile folder stem Folder ystem Folder	6/11 23/9 24/2 22/4 3/12 4/10 25/7 2/3/ 12/5	/201. /201 /201 /201 /201 /201 2016 /201 /201 /201		No	t connec	tted to any	rserver		
<				> <							>
27 files and 37 director	ies. Total size: 23.3	49.194 bytes		No	ot connected.	•					
Server/Local file	Direc	tion Remot	te file			Size	Priority	Status			
Queued files Faile	d transfers Suc	ccessful trans	sfers								

- 5. Πατάμε το κουμπί "Quickconnect".
- 6. Αποδεχόμαστε το κλειδί ασφαλείας του διακομιστή, κλικάρουμε το πεδίο "Always trust this host, add this key to the cache" και πατάμε OK.

Unkno	wn host key X
1	The server's host key is unknown. You have no guarantee that the server is the computer you think it is.
	Details Host: webs.aua.gr:22 Fingerprint: ssh-ed25519 256 61:59:92:44:70:1d:15:4e:fd:56:0c:57:b0:ac:05:22
	Trust this host and carry on connecting? Always trust this host, add this key to the cache OK Cancel

7. Έχουμε συνδεθεί με επιτυχία στον διακομιστή. Στο αριστερό μέρος του παραθύρου βλέπουμε τους φακέλους και τα αρχεία του τοπικού μας δίσκου ενώ στο δεξί τα αντίστοιχα στον διακομιστή που αποτελούν τον προσωπικό μας ιστοχώρο. Η διακίνηση των αρχείων και φακέλων από και προς τον διακομιστή γίνεται με την γνωστή σε όλους μέθοδο της μεταφοράς και απόθεσης (Drag & Drop) από αριστερά προς τα δεξιά ή αντίστροφα.

Host: sftp://webs.au	a.gr <u>U</u> sername	chris	Pass <u>w</u> ord	d: ••••••	Por	t: [Quickconnect	•
Command: open "o Command: Pass: ** Status: Connec Status: Retrievi Status: Listing	hris@webs.aua.gr ****** ted to webs.aua.g ng directory listing directory /home/c	r" 22 jr g -bris						^
Status: Directo	ry listing of "/hom	ne/chris" successful						~
Local site: C:\Users\	Chris\		~	Remote site:	/home/chris			~
Local site: C:\Users\Chris\								
Filename	Filesize F	iletype L	ast mod ^	Filename	Filesize	Filetype	Last modified	Pi ^
	F F F F F F F F F S	file folder 6 file folder 2 file folder 2 file folder 2 file folder 3 file folder 4 file folder 2 file folder 2 file folder 1 file folder 1 file folder 2 file folder 2 file folder 2 file folder 2	5/11/201. 3/9/201. 4/2/201 12/4/201 12/4/201 12/201 12/201 15/7/201. 15/7/201 15/5/201		946 220 3.637 49 675 100 297.564.160 105.472.000 2.641.510 2.274.539 317.644.800	File folder BASH_HIS BASH_LOG BASHRC File NANO_HIS PROFILE File XAUTHORI Archive Archive Archive Archive Archive	20/11/2015 9:0 30/5/2016 11:4 20/11/2015 8:5 20/11/2015 8:5 12/5/2016 7:34: 20/11/2015 8:5 31/5/2016 4:22: 1/6/2016 3:02:3 1/6/2016 3:01:0 1/6/2016 6:45: 1/6/2016 3:01:3	di -r -r -r -r -r -r -r -r -r -r -r -r -r

- 8. Εάν επιθυμούμε να αποθηκεύσουμε τα στοιχεία της σύνδεσης (βήμα 4) ώστε να μην χρειάζεται κάθε φορά να τα δίνουμε κατά το άνοιγμα του FileZilla, πατάμε το πρώτο κουμπί (Site manager) στην μπάρα εργαλείων (βλ. παραπάνω εικόνα) και στο παράθυρο που εμφανίζεται πατάμε το κουμπί "New site". Προτείνουμε να μην αποθηκεύετε τον κωδικό σύνδεσης (Password) για λόγους ασφαλείας.
- 9. Συμπληρώνουμε τα πεδία σύμφωνα με το παρακάτω υπόδειγμα.

Site Manager	×
Select Entry:	General Advanced Transfer Settings Charset Host: webs.aua.gr Port:
	Logon Type: Ask for password ✓ User: chris Password:
New Site New Folder New Bookmark Rename	Co <u>m</u> ments:
	<u>Connect</u> <u>O</u> K Cancel

10. Πατάμε Connect και συνδεόμαστε. Για κάθε μελλοντική χρήση του προγράμματος αρκεί να επιλέξουμε το ίδιο κουμπί (Site manager) στην μπάρα των εργαλείων και το κουμπί Connect, δίνοντας μόνο τον κωδικό μας.